Pannkoke
Flachglastechnik GmbH

Assembly Lift 7003-Magnum

Assembly Lift
for glazing work with a vacuum lifting device

Description

- movable manually via guide rolls
- electrically adjustable in the height, via operating panel or wireless remote control
- dismountable for transport
- laterally tiltable supporting device

maximum hook height: **4,8 m**
Safe Working Load: **500 kg**

e. g. combinable with
Accu-Device Kombi 7011-DS5/L
Accu-Device Kombi 7211-DS5/L
Accu-Device Kombi 7211-DS250

working height		
minimum approx. mm	1625	
maximum approx. mm	4800	
needed working area		
width approx. mm	1650	
depth approx. mm	1230	2135
Total height (retracted) approx. mm	1740	
Weight of assembly lift approx. kg	160 + 156 +12 = 328	
Item No.:	7003-Magnum	

Address: Haendelweg 5 23556 Luebeck Germany Telephone: +49 451 47 00 8-0 E-mail: info@pannkoke.de
Telefax: +49 451 47 00 8-37 Web: www.pannkoke.com

Pannkoke
Flachglastechnik GmbH

Assembly Lift 7003-Magnum



Assembly Lift 7003-Magnum





height H	Safe Working Load	height H	Safe Working Load
up to 1.6 m	220 kg	up to 1.6 m	500 kg
up to 2.6 m	190 kg	up to 2.6 m	425 kg
up to 4.2 m	160 kg	up to 4.2 m	400 kg





Address: Haendelweg 5 23556 Luebeck Germany
Telephone: +49 451 47 00 8-0 E-mail: info@pannkoke.de
Telefax: +49 451 47 00 8-37 Web: www.pannkoke.com